Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2

Paul 2 mwdn87 Fq. wado, MD Ed 9

F J

NL

5 purtus ma

Silver Sunmy

54/2 part of area are "park-like." Lands caped

5 lightly hilly Continued

54/2: Track maybe unelerground, bout at very least is enclosed


Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2
52 D F J F J T A L A L 54/2 thing when track each allow apartial adjustment/calibration, Same purpose as shims to wake the parol of a weatherby life as perfectly straight as possible. Sylp also was contains adjustnery "webour'sms" to that in fluere whatever passes through the trade as well. Ste ares to beginnent and strictly controlled. Al 3 idag " Ly uamo" 54/2 "Chund" is gotten to the trade, almost like it's be flected" tom a long passage, histoly polished, smooth non-firstimel. from absorptive; non reactive/titeactive; 54/2 trade- at least win basevent arees- have ares pats that can be verneved to expis In wer war body & of trade. 51/2 24 bldg is newsons to perform thing that can't be done until " Church" has been onlin the track for a while i.e. -Approved For Release 2000/08/08 CIA-RDF96-00789/R000100340002-2 lunihar

Symbolically representative Yulun a loke:


SUI Approved For Release 2000/08/08: CIA-RDP96-00789R000100340002-2 E2 Break Target weg Lave artoticials windrouter Cartiolles condition, thi elded 54/2 want to at down on as werey variables + interferences p 245 ible ve cuum AI BK Slightly Cramped - but meant for a lot of people to be their. No me is actually in the chamber when impact occurs 54/2. but are vearly monitoring vernotely - i.e. in the west from what worm. Some information can be obtained from just vivental brading solone. But some must be

dolestable remains of uprojectile" itself. Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2

Obtained by inspecting the taget itself & analying



Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2



Approved For Release 2000/08/08 : CIA-RDP96-00789R000100340002-2